

MAY. 19. 2005 11:33AM

NO. 0107 P. 1



CALFEE, HALTER & GRISWOLD LLP

May 19, 2005

TO: Terry K. Cecil
FAX NUMBER: 703-872-9306
SEND ONLY TO THE ABOVE FAX NUMBER: X

CONFIRMATION
PHONE NUMBER:

RECEIVED
CENTRAL FAX CENTER

MAY 19 2005

FROM: Courtney J. Miller, Esq.
DIRECT DIAL PHONE NUMBER: 614-621-7015

CLIENT NO.: 28608

MATTER NO.: 04000

CLIENT NAME: Douglas R. Lamb

NUMBER OF PAGES (including this page): 6

MESSAGE:

In Re Application of: Douglas R. Lamb
Application No.: 10/056,277
Filed: January 24, 2002
For: Fluid Receptacle and Filter System
Group Art Unit: 1723
Examiner: Terry K. Cecil
Attorney Docket No.: 28608/04000

Following please find a Response to Notice of Non-Compliant Amendment.

BEST AVAILABLE COPY

This facsimile transmission contains confidential and/or legally privileged information from the law firm of Calfee, Halter & Griswold LLP intended only for the use of the individual(s) named on the transmission sheet. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or the taking of any action in reliance on the contents of this facsimile transmission is strictly prohibited. If you have received this transmission in error, please notify us by telephone immediately so that we can arrange for the return of the documents to us at no cost to you.

If there is a problem with this transmission, please contact the Fax Department at: 614/621-1500. Facsimiles can be received 24 hours per day, 7 days each week at 614/621-0010. Thank you.

1100 Fifth Third Center • 21 East State Street • Columbus, Ohio 43215-4243 • 614/621-1500

Columbus Fax Number • 614/621-0010

1400 McDonald Investment Center • 800 Superior Avenue • Cleveland, Ohio 44114-2688 • 216/622-8200

Cleveland Fax Number • 216/241-0816

{DOCUMENT5;1}


MAY 19 2005

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this Response to Non-Compliant Amendment is being facsimile-transmitted to (703) 872-9306 addressed to: Terry K. Cecil, Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia, 22313, on this 19th day of May, 2005

Customer Number

24024


JANET L. NORRIS

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Douglas R. Lamb

Application No.: 10/056,277

Filed: January 24, 2002

For: **Fluid Receptacle and Filter System**

Group Art Unit: 1723

Examiner: Terry K. Cecil

Attorney Docket No.: 28608/04000

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT

In response to the Notice of Non-Compliant Amendment mailed on May 11, 2005 in the above-referenced matter, the Applicant hereby submits a substitute "Amendments to the Claims" section. No fees are believed to be due at this time for this matter; however, should fees be deemed necessary, the Commissioner is hereby authorized to charge any and all fees relating to this Response to Deposit Account: 03-0172 (Calfee, Halter & Griswold LLP).

Respectfully submitted,

Date: 5/19/2005

Courtney J. Miller
Reg. No. 45,366
(614) 621-7015
(614) 621-0010 (fax)
cmiller@calfee.com

{JLN4211.DOC;1}